

**Designed to Remove
Tenacious Efflorescence**

**CONCENTRATED,
POWERFUL
FORMULA**

**EFFLORESCENCE
CLEANER**

6/9 Hoyle Avenue, Castle Hill NSW 2154
Tel: 1300 195 670
sales@rodauxsurfacecare.com.au
www.rodauxsurfacecare.com.au





EFFLORESCENCE CLEANER

PRODUCT DESCRIPTION

A powerful cleaner designed to remove tenacious efflorescence. It can also be used for the removal of grout, cement haze, rust, hard to remove water stains and lime deposits.

FEATURES & BENEFITS

- Dissolves and removes heavy calcium & efflorescence.
- Concentrated solution.
- Can be used for interior and exterior application.
- Restores original colour of concrete pavers.
- Removes rust stains.
- Australian Made and tested for Australian conditions.

SUITABLE FOR:

- Stone surfaces (e.g. Granite, Sandstone, and Quartz etc.).
- Concrete and concrete pavers.
- Clay brick and clay pavers.
- Terracotta, Tessellated tiles.
- Ceramic tiles, porcelain and grout joints.

PACKAGING:

- 5 Litres
- 15 Litres

NOT SUITABLE FOR:

- Marble
- Limestone
- Travertine

SAFETY

The Technical Bulletin in conjunction with Safety Data Sheet (SDS) and the product label have to be read and understood, prior to opening the container and use of the product.

DIRECTIONS FOR USE

SDS must be read before opening the product.

Test First: Due to the nature of different surfaces, always do a test first in an inconspicuous area to determine surface colour stability and desired results.

Use chemical resistant gloves when handling Grout Haze Remover.

Preparation of surface area: Sweep, vacuum or wipe surface.

Preparation of solution: Depending on the tiles or stone/paver the level of contamination, mix the Rodaux Efflorescence cleaner 1 part to 15 parts water or as follows.

- Concrete/clay pavers: 1 part Rodaux Efflorescence cleaner to 20 parts water.
- Tiles/granite/sandstone/basalt: 1 part Rodaux Efflorescence cleaner to 10 parts.

Directions for Use

1. Pre-Wet Surface.
2. Apply the solution carefully with a synthetic mop or pump sprayer. If necessary agitate using nylon scrubbing pad or rotary scrubbing machine with nylon bristles to help breakdown efflorescence.
3. Do not let the solution dry, apply more water to keep it wet. (If concrete is being cleaned, do not leave the Efflorescence cleaner on for longer than 3-5 minutes as it will discolour pavers if left on too long).
4. Rinse with water or Rodaux neutral bright to fully neutralise the Rodaux efflorescence cleaner to remove any residue. Repeat if necessary.
5. Completely allow surface to dry before applying Rodaux sealers.

PRECAUTIONS

- **Test First:** Due to the nature of different surfaces, always do a test first in an inconspicuous area to determine surface colour stability and desired results.
- Keep away from carpets, treated metal surfaces and protect all other house hold furnishing from contact with acid.
- If indoor application, please make sure windows and doors are open to allow sufficient ventilation.
- Do not mix with any other chemicals, especially ammonia based products as it will result in harmful fumes.
- Wash thoroughly after handling.
- Refer to SDS for additional information.
- Wash everything after use.
- Do not use on stones sensitive to such as Marble, Terrazzo ,certain types of slate, Metallic Glazed tiles and limestone.
- Final rise with Rodaux Neutral Bright is strongly recommended to fully neutralise, remove any residue and for improved result.

ADVANCE NOTICE

The information provided in this Technical Bulletin is based on the present state to our best knowledge. The information herein is of a general nature, no assumption can be made as to a products suitability for a particular use of application. The owner / applicator is responsible for checking the suitability of products for their intended use.

Rodaux Surface Care or any of its related entities cannot be held responsible and liable for:

- Inappropriate use of this product, other than that has been listed under the heading “suitable for”; and/or
- Incorrect application of this product that may lead to damage, discolour, surface wear, etching from acidic or alkaline chemicals; and/or
- Injuries, respiratory difficulties arising from not wearing appropriate eye, skin or any other protective wear.

Technical Bulleting is subject to change without notice, therefore all applicators should ensure they have the most current information and have familiarised themselves prior to the use of this product.